




Treatment Algorithm for Ureteric Malignant Strictures



This algorithm was developed in consultation with doctors.

* 2-6 months repetitive replacement of DJ or Nephrostome Vs. Allium URS of up to 3 years with much better quality of life for cancer patients. Allium URS allows to continue radiation the day after implantation vs. long recovery after surgery.


Definitive surgery: a surgical procedure intended to completely resolve the underlying condition and eliminate symptoms.

Radical surgery: an oncologic procedure involving the complete removal of an organ.

Reconstructive surgery: rearrangement of the ureter anatomy.



Treatment Algorithm for Ureteric Benign Strictures



This algorithm was developed in consultation with doctors.

*2-6 months repetitive replacement of DJ or Nephrostome Vs. Allium URS of up to 3 years with much better quality of life.


Definitive surgery: a surgical procedure intended to completely resolve the underlying condition and eliminate symptoms.

Radical surgery: an oncologic procedure involving the complete removal of an organ.

Reconstructive surgery: rearrangement of the ureter anatomy.



Algoritmo de Tratamiento para Estenosis Maligna del Ureter



Este algoritmo se desarrolló en consulta con médicos.

* Reemplazo repetitivo de DJ o Nefrostoma durante 2 a 6 meses vs. URS con Allium de hasta 3 años con una calidad de vida mucho mejor para pacientes con cáncer. La URS con Allium permite continuar la radioterapia al día siguiente de la implantación, en comparación con una larga recuperación después de la cirugía.


Cirugía definitiva: procedimiento quirúrgico destinado a resolver completamente la afección subyacente y eliminar los síntomas.

Cirugía radical: procedimiento oncológico que implica la extirpación completa de un órgano.

Cirugía reconstructiva: reorganización de la anatomía del ureter.



Algoritmo de Tratamiento para Estenosis Benigna del Ureter



Este algoritmo se desarrolló en consulta con médicos.

*Reemplazo repetitivo de DJ o Nefrostoma durante 2 a 6 meses vs. URS de Allium de hasta 3 años con una calidad de vida mucho mejor.

Cirugía definitiva: procedimiento quirúrgico destinado a resolver completamente la afección subyacente y eliminar los síntomas.

Cirugía radical: procedimiento oncológico que implica la extirpación completa de un órgano.

Cirugía reconstructiva: reorganización de la anatomía del ureter.